STATE OF NEW HAMPSHIRE Department of Environmental Services Air Resources Division

Form ARD-4



Information Required for Permits for Storage Tanks Containing Fuel or Volatile Organic Compounds

	I W I DUI D	
		Pate:
ocation: Underground	Aboveground	
. Tank Type		
1. Fixed Roof Tanks:	2. Variable Vapor Space Ta	anks: 3. Pressure Tanks:
☐ Floating Roof Covered Type	E Lifter Roof	Spheroid
☐ Floating Roof Open Type:	☐ Flexable Diaphram	☐ Horizontal Cylinder
☐ Pan	Seal Type:	☐ Vertical Cylinder
Pontoon	Single	Internal Pressure: @
☐ Double Deck	☐ Double	
	☐ Welded	
	Connected to Other Tanks?	Yes No
	Specify Other Tenles	
4. Other Tank Type (specify): . Tank Information		
. Tank Information		
Height (feet)	Inside Diameter (feet) Side Color	
Height (feet) Roof Color	Inside Diameter (feet) Side Color Annual Throu	Roof Slope (inches/ft)
Roof Color Tank Fill Capacity (gallons) Yes No If Yes	Inside Diameter (feet) Side Color Annual Throughts:	Roof Slope (inches/ft)
Tank Information Height (feet) Roof Color Tank Fill Capacity (gallons) Yes No If Yes Insulated?	Inside Diameter (feet) Side Color Annual Througes: perial Type: perature	Roof Slope (inches/ft)
- Tank Information Height (feet) Roof Color Tank Fill Capacity (gallons) Yes No If Yes Insulated?	Inside Diameter (feet) Side Color Annual Throughter es: perial Type: perature	Roof Slope (inches/ft)
- Tank Information Height (feet) Roof Color Tank Fill Capacity (gallons) Yes No If Yes Insulated?	Inside Diameter (feet) Side Color Annual Througes: perial Type: perature Type:	Roof Slope (inches/ft)
Roof Color Tank Fill Capacity (gallons) Yes No If Yes Insulated?	Inside Diameter (feet) Side Color Annual Throughters: perial Type: perature r Type: s:	Roof Slope (inches/ft)
Roof Color Tank Fill Capacity (gallons) Yes No If Yes Insulated?	Inside Diameter (feet) Side Color Annual Througes: perial Type: perature Type:	Roof Slope (inches/ft)

Revision Date: October 30, 2003

Device:	
Page 2 of 3	

Form
ARD-4

C.	Liquid	Information
----	--------	-------------

Liquid Type	Molecular Weight
Average Bulk Liquid Temperature (°F)	True vapor pressure at average bulk liquid temperature (psia)
Average density at bulk liquid conditions (lbs/gal)	
D. Stack Information Is unit equipped with multiple stacks? ☐ Yes ☐ Note Identify other devices on this stack:	
Is Section 123 of the Clean Air Act applicable?	Ves No
Is stack monitoring used? Yes No	
If yes, Describe:	
Is stack capped or otherwise restricted? Yes	
If yes, Describe:	
Stack exit orientation: Vertical Horizontal	
Stack Inside Diameter (ft) Exit Area (ft²)	Discharge height above ground level (ft)
Exhaust Flow (acfm)	Exhaust Velocity (ft/sec)
Exhaust Temperature (°F)	_
F Hours of Operation	
E. Hours of Operation Hours per day: Days per veer:	
Hours per day: Days per year:	
POLLUTION CONTROL EQUIPMENT	••
A. Type of Equipment Note: if process utilizes more	e than one control device, provide data for each device
☐ baffled settling chamber	wide bodied cyclone
long cone cyclone	irrigated long cone cyclone
multiple cyclone (inch diameter)	carbon absorption
electrostatic precipitator	irrigated electrostatic precipitator
spray tower	absorption tower
venturi scrubber	baghouse
afterburners (incineration)	packed tower/column
selective catalytic reduction	selective non-catalytic reduction
reburn	
other (specify):	<u></u>

Revision Date: October 30, 2003

II.

Device: Page 3 of 3					Form ARD-4
B. Pollutant Inp		Antonal	Dotoutial.	Agtoral	Detential
Pollutant	Temperature (°F)	Actual (lb/hr)	Potential (lb/hr)	Actual (ton/yr)	Potential (ton/yr)
				, ,	, ,
Method used stack tes other (specify):	to determine entering	missions: emission fac	tor material b	alance	
	e Efficiency:% l Efficiency:%		: test calcul	ations ations	
	l Operating Conditions (Temperature (°F		Percent Carbon D	iovida (CO.)
Total gas voi	tune tinough unit (acmi)	remperature (r	,	refeelit Caroon D	ioxide (CO ₂)
Voltage		Spark Rate		Milliamps	
Pressure Dro	op (inches of water)	Liquid Recycle	Rate (gallons per minute)	_	
II. DEVICE EM	IISSIONS DATA:				
Pollutant	Temperature (°F)	Actual (lb/hr)	Potential (lb/hr)	Actual (ton/yr)	Potential (ton/yr)
	to determine exiting em				I
stack test		emission factor	or material ba	lance	
other (spe	ecify):				

Revision Date: October 30, 2003